





TOP DRIVE MOTOR BLOWERS

Manufactured By Gulf Electroquip

FITS 400HP VERTICAL TOP DRIVE MOTORS

TOP DRIVE BLOWER WITH UL LISTED "XP" MOTOR

PATENTED SELF-CLEANING TOP DRIVE MOTOR BLOWER



FOR A DETAILED ORDERING CHART,
SEE BACK PAGE

GULF ELECTROQUIP
ELECTRICAL MOTORS AND GENERATORS

©2011 Gulf Electroquip DOUBLE CLEAN™ is a trademark of Gulf Electroquip



1956 - 2011

24-HR PHONE 713-675-2525
WWW.GULFELECTROQUIP.COM

425 North Wayside, Houston TX 77020
E-mail: sales@gulfelectroquip.com



TOP DRIVE MOTOR BLOWERS

Manufactured By Gulf Electroquip

Fits 400HP NOV TDS11 Vertical Top Drive Motors

DOUBLE CLEAN™ patented self-cleaning blower, complete with UL listed "XP" motor and safety-wired components.



VIEWS OF RIGHT-SIDE MOUNT


VIEWS OF LEFT-SIDE MOUNT

PRODUCT SELECTION GUIDE




PN 260461 (460V)
Right-Hand Mount Top Drive
Motor Blower, 5HP UL listed
"XP" motor, 460 volt,
mild steel, safety yellow

PN 260465 (575V)
Right-Hand Mount Top Drive
Motor Blower, 5HP UL listed
"XP" motor, 575 volt,
mild steel, safety yellow

Gulf Electroquip
DOUBLE CLEAN™
PATENTED Self-Cleaning
Motor Blower Design




HOW IT WORKS



PN 260463 (460V)
Left-Hand Mount Top Drive
Motor Blower, 5HP UL listed
"XP" motor, 460 volt,
mild steel, safety yellow

PN 260467 (575V)
Left-Hand Mount Top Drive
Motor Blower, 5HP UL listed
"XP" motor, 575 volt,
mild steel, safety yellow

Moisture and heavy + light
particles are discharged
through 2 exit ports leaving
clean, filtered air . . .



. . . to flow over the rotor.

DOUBLE CLEAN™ mechanically filters out sand, dirt, moisture and other abrasive contaminates for longer motor life. Double Clean lowers the contamination inside the drilling motor, yields greater reliability, longer time between rebuilds, which reduces downtime for the rig. Using a patented "element-less" filtration method, Double Clean cleans the air while pushing air through the blower. This requires less maintenance than standard filtration models, and no more maintenance than a standard non-filtered blower. The filtered contamination is expelled through two (2) cleaning cycle exit ports on the side of the blower (See chart above).

Specifications subject to change without notice. Contact your Gulf Electroquip representative for specific information about your specific application of Gulf Electroquip products.

©2011 Gulf Electroquip DOUBLE CLEAN™ is a trademark of Gulf Electroquip